

PRODUCT-DETAILS

TY529MX

CBL TIE 120LB 30IN UV BLACK NYLON

General Information	
Extended Product Type	TY529MX
Product ID	7TAG009280R0004
EAN	5414363065968
Catalog Description	CBL TIE 120LB 30IN UV BLACK NYLON
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 770.61mm (30.34 Inches), Width of 6.93mm (0.273 Inches), Thickness of 1.52mm (0.06 Inches), Tensile Strength Rating of 534 Newtons (120 pounds),
Ordering E-Number (Finland)	1381527
EAN	5414363065968
Dimensions	
Dimensions Product Net Width	0.273 in 6.93 mm
	0,210

Container Information		
Package Level 1 Units	50 piece	
Package Level 1 Width	6 in 152 mm	
Package Level 1 Depth / Length	36 in 914 mm	
Package Level 2 Units	500 piece	
Package Level 2 Width	6.25 in 159 mm	
Package Level 2 Height	4.75 in 121 mm	
Package Level 2 Depth / Length	34.25 in 870 mm	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.236 to 9.01 ir 6 to 229 mm
Color	Black
Effective Date	19701204
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	C
Product Name	PLASTIC CABLE TIE
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time
Tensile Strength	120 lb 530 N
Thickness	0.06 ir 1.52 mm
UPC	786210838908

Certificates and Declarations (Document Number)		
Data Sheet, Technical Information	TY529MX	
Declaration of Conformity - CE	9AKK107492A9841	
Instructions and Manuals	TY529MX	

Classifications		
ETIM 6	EC000046 - Cable tie	
ETIM 7	EC000046 - Cable tie	
UNSPSC	39121703	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	5034 >> Cable ties	

TY529MX 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$