



PRODUCT-DETAILS

TY53418PX

CABLE TIE 150LB 18IN UV BLK PP LASH



General Information

Extended Product Type	TY53418PX
Product ID	7TAG009550R0019
EAN	5414363066064
Catalog Description	CABLE TIE 150LB 18IN UV BLK PP LASH
Long Description	Lashing Cable Tie, Releasable Head with 6.9mm (0.27 Inch) Mounting Hole , Black Polypropylene for Temperatures up to 110 Degrees Celsius (230 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 462mm (18.187 Inches), Width of 13.2mm (0.52 Inches), Thickness of 1.93mm (0.076 Inches), Tensile Strength Rating of 670 Newtons (150 Pounds)

Ordering

EAN	5414363066064
-----	---------------

Dimensions

Product Net Width	0.52 in 13.2 mm
Product Net Length	0, mm
Product Net Depth / Length	18.187 in 462 mm

Container Information

Package Level 1 Units	25 piece
Package Level 2 Units	250 piece
Package Level 2 Width	7.6 in 193 mm
Package Level 2 Height	10.5 in 267 mm
Package Level 2 Depth / Length	20 in 508 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 1.14 in 2 to 29 mm
Color	Black
Effective Date	19770610
Lock Type	Plastic Closing Mechanism
Material	Polypropylene
Number of Batteries	0
Product Name	TY-RAP FASTENING
Product Type	Lashing
Tensile Strength	50 lb 222 N
Thickness	0.076 in 1.93 mm
UPC	786210890418

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY53418PX
Instructions and Manuals	TY53418PX

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

