



PRODUCT-DETAILS

TY53510M

CABLE TIE 175LB 35IN NATURAL NYLON



General Information

Extended Product Type	TY53510M
Product ID	7TCG009380R0001
EAN	5414363066118
Catalog Description	CABLE TIE 175LB 35IN NATURAL NYLON
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 889mm (35.0 Inches), Width of 8.13mm (0.32 Inches), Thickness of 1.7mm (0.07 Inches), Tensile Strength Rating of 780 Newtons (175 pounds)

Ordering

EAN	5414363066118
-----	---------------

Dimensions

Product Net Width	0.32 in 8.13 mm
Product Net Length	0, mm
Product Net Depth / Length	35 in 889 mm

Container Information

Package Level 1 Units	50 piece
Package Level 2 Units	250 piece
Package Level 2 Width	5.2 in 132 mm
Package Level 2 Height	5.3 in 135 mm
Package Level 2 Depth / Length	38 in 965 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	Max 10 in Max 254 mm
Color	Natural
Effective Date	19940525
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	NYLON DUCT TIE
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	175 lb 780 N
Thickness	0.07 in 1.7 mm
UPC	786210134512

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY53510M
Instructions and Manuals	TY53510M

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

