

PRODUCT-DETAILS

TY544MX

CABLE TIE 50LB 8IN BLK NYL PEG MNT



General Information

Extended Product Type	TY544MX
Product ID	7TAG009530R0008
EAN	5414363066460
Catalog Description	CABLE TIE 50LB 8IN BLK NYL PEG MNT
Long Description	Pre-Mountable Cable Tie with Integrated Peg for Mounting onto Porous Concrete or Similar Materials (Masonry), Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant Polyamide (Nylon 6.6) for Indoor or Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 200mm (7.875 Inches), Width of 4.6mm (0.181 Inches), Thickness of 1.0mm (0.039 Inches), Tensile Strength Rating of 220 Newtons (50 Pounds), Mounting Hole Diameter of 6.4mm (0.25 Inches)

Ordering

EAN	5414363066460
-----	---------------

Dimensions

Product Net Width	0.18 in 4.6 mm
Product Net Length	0, mm
Product Net Depth / Length	7.8 in 200 mm

Container Information

Package Level 1 Units	50 piece
Package Level 2 Units	250 piece
Package Level 2 Width	6.9 in 175 mm
Package Level 2 Height	5.8 in 147 mm
Package Level 2 Depth / Length	12.2 in 310 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	Max 1.75 in Max 44.45 mm
Color	Black
Effective Date	19810813
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	Pre-Mountable with Integrated Nail
Thickness	0.039 in 1 mm
UPC	786210806884

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY544MX
Instructions and Manuals	TY544MX

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

