

PRODUCT-DETAILS

TY545MX

CABLE TIE 50LB 8IN BLK NYL NAIL MNT



General Information

Extended Product Type	TY545MX
Product ID	7TAG009520R0073
EAN	5414363066491
Catalog Description	CABLE TIE 50LB 8IN BLK NYL NAIL MNT
Long Description	Pre-Mountable Cable Tie with Integrated Nail for Mounting onto Wood or Similar Materials, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant Polyamide (Nylon 6.6) for Indoor or Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 200mm (7.875 Inches), Width of 4.67mm (0.184 Inches), Thickness of 1.02mm (0.04 inches), Tensile Strength Rating of 220 Newtons (50 Pounds)

Ordering

EAN	5414363066491
-----	---------------

Dimensions

Product Net Width	0.184 in 4.67 mm
Product Net Length	0, mm
Product Net Depth / Length	7.875 in 200 mm

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	4 in 102 mm
Package Level 1 Depth / Length	8 in 203 mm
Package Level 2 Units	250 piece
Package Level 2 Width	13.8 in 351 mm
Package Level 2 Height	4.9 in 124 mm
Package Level 2 Depth / Length	16.7 in 424 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.185 to 1.5 in 4.7 to 38.1 mm
Color	Black
Effective Date	19800430
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	Pre-Mountable with Integrated Nail
Tensile Strength	50 lb 222 N
Thickness	0.043 in 1.09 mm
UPC	786210809762

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY545MX
Instructions and Manuals	TY545MX

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

