

PRODUCT-DETAILS

TY600-175X

CABLE TIE 175LB 25IN BLK NYL X-HVY



General Information

Extended Product Type	TY600-175X
Product ID	7TAG054360R0346
EAN	5415022140842
Catalog Description	CABLE TIE 175LB 25IN BLK NYL X-HVY
Long Description	Extra Heavy-Duty Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (221 F), Weather and Ultraviolet Resistant for Indoor or Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 631mm (24.84 Inches), Width of 9mm (0.35 Inches), Thickness of 1.8mm (0.07 Inches), Tensile Strength Rating of 778 Newtons (175 Pounds)

Ordering

EAN	5415022140842
-----	---------------

Dimensions

Product Net Width	0.35 in 9 mm
Product Net Length	0, mm
Product Net Depth / Length	24.84 in 631 mm

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	6 in 152 mm
Package Level 1 Height	1.75 in 44 mm
Package Level 1 Depth / Length	29 in 737 mm
Package Level 2 Units	500 piece
Package Level 2 Width	8 in 203 mm
Package Level 2 Height	8 in 203 mm
Package Level 2 Depth / Length	26.5 in 673 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	7.2 in 182.88 mm
Color	Black
Effective Date	20130117
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	Extra Heavy Duty
Standards	UL E49405
Tensile Strength	175 lb 780 N
Thickness	0.07 in 1.8 mm
UPC	786209513922

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY600-175X
Instructions and Manuals	TY600-175X

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

