



PRODUCT-DETAILS

TY800-120X

CBL TIE 120LB 28IN UV BLACK NYLON



General Information

Extended Product Type	TY800-120X
Product ID	7TAG054360R0348
EAN	5414363066781
Catalog Description	CBL TIE 120LB 28IN UV BLACK NYLON
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/215 Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 777mm (30.6 Inches), Width of 7.62mm (0.20 Inch), Thickness of 1.90mm (0.075 Inches), Tensile Strength Rating of 540 Newtons (120 Pounds), Bulk Pack

Ordering

EAN	5414363066781
-----	---------------

Dimensions

Product Net Width	0.3 in 7.62 mm
Product Net Length	0, mm
Product Net Depth / Length	30.6 in 777 mm

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	2.5 in 64 mm
Package Level 1 Height	14 in 356 mm
Package Level 1 Depth / Length	38 in 965 mm
Package Level 2 Units	500 piece
Package Level 2 Width	8.35 in 212 mm
Package Level 2 Height	29.37 in 746 mm
Package Level 2 Depth / Length	11.75 in 298 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	8 in 203.2 mm
Color	Black
Effective Date	19960611
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	General Purpose
Standards	UL E49405
Tensile Strength	120 lb 540 N
Thickness	0.075 in 1.9 mm
UPC	786210572871

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY800-120X
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY800-120X

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

