



PRODUCT-DETAILS

TYC27MX

CABLE TIE 85LB 13IN UV BLK NYLON 12



General Information

Extended Product Type	TYC27MX
Product ID	7TCG009580R0003
EAN	5414363067191
Catalog Description	CABLE TIE 85LB 13IN UV BLK NYLON 12
Long Description	Cable Tie, Black Polyamide (Nylon 12) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 343mm (13.5 Inches), Width of 7.4mm (0.29 Inches), Thickness of 1.6mm (0.05 Inches), Tensile Strength Rating of 380 Newtons (85 Pounds), Bulk Pack

Ordering

EAN	5414363067191
-----	---------------

Dimensions

Product Net Width	0.295 in 7.49 mm
Product Net Depth / Length	13.37 in 339.6 mm
Product Net Weight	.009 lb 4.082 g

Container Information

Package Level 1 Units	500 piece
Package Level 1 Width	14 in 356 mm
Package Level 1 Depth / Length	20 in 508 mm
Package Level 2 Units	1000 piece
Package Level 2 Width	9.55 in 243 mm
Package Level 2 Height	6 in 152 mm
Package Level 2 Depth / Length	15.5 in 394 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.19 to 4 in 4.8 to 102 mm
Color	Black
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 12
Number of Batteries	0
Product Name	CABLE TIE
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	90 lb 400 N
Thickness	0.06 in 1.5 mm
UPC	786210848013

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000575
Instructions and Manuals	TYC27MX

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

