



PRODUCT-DETAILS

TYC28MX

CABLE TIE 35LB 14IN UV BLK NYLON 12



General Information

Extended Product Type	TYC28MX
Product ID	7TCG009580R0004
EAN	5414363067207
Catalog Description	CABLE TIE 35LB 14IN UV BLK NYLON 12
Long Description	Cable Tie, Black Polyamide (Nylon 12) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 360mm (14.2 Inches), Width of 4.8mm (0.19 Inch), Thickness of 1.3mm (0.05 Inch), Tensile Strength Rating of 180 Newtons (40 Pounds), Bulk Pack

Ordering

EAN	5414363067207
-----	---------------

Dimensions

Product Net Width	0.183 in 4.65 mm
Product Net Depth / Length	14.12 in 358.65 mm
Product Net Weight	.005 lb 2.268 g

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	14 in 356 mm
Package Level 1 Depth / Length	20 in 508 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	10.2 in 259 mm
Package Level 2 Height	13.8 in 351 mm
Package Level 2 Depth / Length	19.7 in 500 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.12 to 4 in 3 to 102 mm
Color	Black
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 12
Number of Batteries	0
Product Name	CABLE TIES
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	40 lb 180 N
Thickness	0.05 in 1.3 mm
UPC	786210848020

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000575
Instructions and Manuals	TYC28MX

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

