



PRODUCT-DETAILS

TYC525MX

CABLE TIE 30LB 7IN UV BLK NYLON 12



General Information

Extended Product Type	TYC525MX
Product ID	7TCG009580R0006
EAN	5414363067221
Catalog Description	CABLE TIE 30LB 7IN UV BLK NYLON 12
Long Description	Cable Tie, Black Polyamide (Nylon 12) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 186mm (7.3 Inches), Width of 4.8mm (0.19 Inch), Thickness of 1.3mm (0.05 Inch), Tensile Strength Rating of 180 Newtons (40 Pounds)

Ordering

EAN	5414363067221
-----	---------------

Dimensions

Product Net Width	0.178 in 4.52 mm
Product Net Depth / Length	7.25 in 184.45 mm
Product Net Weight	.003 lb 1.361 g

Container Information

Package Level 1 Units	100 piece
Package Level 2 Units	10000 piece
Package Level 2 Width	15.5 in 394 mm
Package Level 2 Height	11 in 279 mm
Package Level 2 Depth / Length	23.6 in 599 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.12 to 1.88 in 3 to 48 mm
Color	Black
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 12
Number of Batteries	0
Product Name	TY-RAP FASTENING
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	40 lb 180 N
Thickness	0.05 in 1.3 mm
UPC	786210568843

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000575
Instructions and Manuals	TYC525MX

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

