

PRODUCT-DETAILS

TYC527MX

CBL TIE 85LB 13IN UV BLACK NYLON 12

General Information	
Extended Product Type	TYC527MX
Product ID	7TCG009580R0007
EAN	5414363126775
Catalog Description	CBL TIE 85LB 13IN UV BLACK NYLON 12
Long Description	Cable Tie, Black Polyamide (Nylon 12) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 343mm (13.5 Inches), Width of 7.4mm (0.29 Inches), Thickness of 1.6mm (0.05 Inches), Tensile Strength Rating of 380 Newtons (85 Pounds)

Ordering	
EAN	5414363126775

Dimensions	
Product Net Width	0.295 in
	7.49 mm
Product Net Depth /	13.37 in
Length	339.6 mm
Product Net Weight	.013 lb
	5.896 g

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	5 in
	127 mm
Package Level 1 Height	1 in
	25 mm
Package Level 1 Depth /	18 in
Length	457 mm
Package Level 2 Units	2000 piece
Package Level 2 Width	10.2 in
	259 mm
Package Level 2 Height	9.1 in
	231 mm
Package Level 2 Depth /	19.7 in
Length	500 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.19 to 4 in
	4.8 to 102 mm
Color	Black
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 12
Number of Batteries	0
Product Name	OTHER PLASTICS ITEMS
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	90 lb 400 N
Thickness	0.06 in
	1.5 mm
UPC	786210927831

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000575
Instructions and Manuals	TYC527MX

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

TYC527MX 3

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$