

PRODUCT-DETAILS

TYHT23M

CABLE TIE 18LB 4IN OLIV NYL HI TEMP



General Information

Extended Product Type	TYHT23M
Product ID	7TAG009590R0012
EAN	5414363178408
Catalog Description	CABLE TIE 18LB 4IN OLIV NYL HI TEMP
Long Description	Extra High Temperature Cable Tie, Olive Polyamide (Nylon 4.6) for Temperatures up to 150 Degrees Celsius (302 F) for High Temperature Environments, Length of 91.9mm (3.62 Inches), Width of 2.34mm (0.092 Inches), Thickness of 0.91mm(0.036 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds)

Ordering

EAN	5414363178408
-----	---------------

Dimensions

Product Net Width	0,092 in 2,34 mm
Product Net Length	0, mm
Product Net Depth / Length	3,62 in 91,9 mm

Container Information

Package Level 1 Units	1000 piece
-----------------------	------------

Package Level 1 Width	0.8 in 20 mm
Package Level 1 Height	10 in 254 mm
Package Level 1 Depth / Length	10 in 254 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	10.25 in 260 mm
Package Level 2 Height	9 in 229 mm
Package Level 2 Depth / Length	10.25 in 260 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.062 to 0.787 in 1.57 to 20 mm
Color	Olive
Effective Date	20050406
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 4.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	Extra High Temperature
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	18 lb 80 N
Thickness	0.036 in 0.91 mm
UPC	786210952673

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TYHT23M
Instructions and Manuals	TYHT23M

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

