

PRODUCT-DETAILS

TYP28MX

CABLE TIE 30LB 14IN UV BLACK PP



General Information

Extended Product Type	TYP28MX
Product ID	7TAG009600R0003
EAN	5414363067702
Catalog Description	CABLE TIE 30LB 14IN UV BLACK PP
Long Description	Cable Tie, Black Polypropylene for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 360mm (14.2 Inches), Width of 4.8mm (0.19 Inches), Thickness of 1.3mm (0.05 Inches), Tensile Strength Rating of 180 Newtons (40 Pounds)

Ordering

E-Number (Finland)	1381502
EAN	5414363067702

Dimensions

Product Net Width	0.184 in 4.67 mm
Product Net Length	0, mm
Product Net Depth / Length	13.921 in 353.6 mm

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	14 in 356 mm
Package Level 1 Depth / Length	20 in 508 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	11.75 in 298 mm
Package Level 2 Height	9.75 in 248 mm
Package Level 2 Depth / Length	20 in 508 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.19 to 4 in 4.5 to 102 mm
Color	Black
Effective Date	19820203
Lock Type	Stainless Steel Barb
Material	Polypropylene
Number of Batteries	0
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	40 lb 180 N
Thickness	0.05 in 1.3 mm
UPC	786210825366

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000575
Instructions and Manuals	TYP28MX

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

