



Main

| | |
|--------------------------------|-------|
| Accessory / separate part type | Cable |
|--------------------------------|-------|

Complementary

| | |
|---------------------------------------|------------------------------------|
| Accessory / separate part designation | Bare cable |
| Accessory / separate part category | Cabling accessories |
| Cable length | 25 m |
| Material | PvR (PVC/NBR) sheath |
| Colour | Matt black |
| Cable cross section | 0.5 mm ² |
| Total number of wires | 4 |
| Wire insulation material | PVC |
| Flame retardance | Class C2 conforming to NF C 32-070 |
| [Ue] rated operational voltage | 300 V |
| [Ui] rated insulation voltage | 2000 V conforming to NF C 32-201-1 |
| Bending radius | Minimum 3 x external diameter |
| Tensile strength | 10...35 Pa |
| Hardness | 70 shores A (tolerance: +/-5) |
| Product weight | 1.115 kg |

Environment

| | |
|---------------------------------------|--|
| Ambient air temperature for operation | -35...90 °C |
| Ambient air temperature for storage | -40...100 °C |
| Environmental characteristic | Mineral resistant at 90 °C Soluble resistant at 90 °C Synthetic oils at 90 °C Without silicone Without un moulding agent |

Offer Sustainability

| | |
|--------------------------|---|
| Sustainable offer status | Not Green Premium product |
| RoHS (date code: YYWW) | Compliant - since 0601 - Schneider Electric declaration of conformity |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.