# Product data sheet
## Characteristics

# XZCR1510040H1
## jumper cable XZ - male straight M12 3-pin - female elbowed M8 3-pin - PUR 1m



## Main

| | |
|---|---|
| Accessory / separate part category | Cabling accessory |
| Accessory / separate part type | Jumper cable |

## Complementary

| | |
|---|---|
| Jumper cable end 1 | M12 male, :3 pins (straight), fixing: screw-on |
| Jumper cable end 2 | M8 female, :3 pins (elbowed), fixing: screw-on |
| Cable composition | 3 x 0.34 mm² |
| Cable length | 1 m |
| Wire insulation material | PUR |
| Cable outer diameter | 5.2 mm |
| [Ue] rated operational voltage | 75 V DC<br>60 V AC |
| [In] rated current | 4 A |
| Insulation resistance | >= 1000 MOhm |
| Resistance across terminals | <= 5000 mOhm |
| Product weight | 0.05 kg |

## Environment

| | |
|---|---|
| IP degree of protection | IP65<br>IP67<br>IP69K |
| Ambient air temperature for operation | -5...90 °C (flexing)<br>-35...90 °C (static) |
| Ambient air temperature for storage | -35...100 °C |

## Offer Sustainability

| | |
|---|---|
| Sustainable offer status | Green Premium product |
| RoHS (date code: YYWW) | Compliant - since 0649 - Schneider Electric declaration of conformity |
| REACh | Reference not containing SVHC above the threshold |
| Product environmental profile | Available Download Product Environmental |
| Product end of life instructions | Available Download End Of Life Manual |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein.
This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.
It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof.
Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

# XZCR1510040H1

## Dimensions




L : Lenght of cable

# XZCR1510040H1

## Connections and Schemes