


Product data sheet

Characteristics

XZCR1512062F2

jumper cable XZ - male straight M12 3-pin - female elbowed M12 3-pin - PUR 2m



Main

| | |
|------------------------------------|-------------------|
| Accessory / separate part category | Cabling accessory |
| Accessory / separate part type | Jumper cable |

Complementary

| | |
|--------------------------------|---|
| Jumper cable end 1 | M12 male, :3 pins (straight), fixing: screw-on |
| Jumper cable end 2 | M12 female, :3 pins (elbowed), fixing: screw-on |
| Cable composition | 3 x 0.5 mm ² |
| Cable length | 2 m |
| Wire insulation material | PUR |
| Cable outer diameter | 5.2 mm |
| [Ue] rated operational voltage | 36 V DC 30 V AC |
| [In] rated current | 4 A |
| Insulation resistance | >= 1000 MOhm |
| Resistance across terminals | <= 5000 mOhm |
| Product weight | 0.095 kg |

Environment


| | |
|---------------------------------------|--|
| IP degree of protection | IP67 |
| Ambient air temperature for operation | -5...90 °C (flexing) -35...90 °C (static) |
| Ambient air temperature for storage | -35...100 °C |

Offer Sustainability

| | |
|--------------------------|---|
| Sustainable offer status | Not Green Premium product |
| RoHS (date code: YYWW) | Compliant - since 0649 - Schneider Electric declaration of conformity |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Dimensions



L : Length of cable

Connections and Schemes

