

PRODUCT-DETAILS

YLS-16-200B

CABLE TIE 700LB 8IN 316SS BALL-LCK



General Information

Extended Product Type	YLS-16-200B
Product ID	7TCG009420R0064
EAN	5414363453307
Catalog Description	CABLE TIE 700LB 8IN 316SS BALL-LCK
Long Description	Ball-Lock 316 Stainless Steel Heavy Duty Cable Tie, Uncoated, for Temperatures up to 300 Degrees Celsius (572 F) for Indoor and Outdoor Applications, Ultraviolet Resistant, Suitable for High Temperature Environments, Length of 200mm (7.87 Inches), Width of 16.0mm (0.63 Inches), Thickness of 0.32mm (0.0126 Inches), Tensile Strength Rating of 3110 Newtons (699.16 pounds)

Ordering

EAN	5414363453307
-----	---------------

Dimensions

Product Net Width	0.63 in 16 mm
Product Net Depth / Length	7.87 in 200 mm
Product Net Weight	.034 lb 15.42 g

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	5.59 in 142 mm
Package Level 1 Height	2 in 51 mm
Package Level 1 Depth / Length	11 in 279 mm
Package Level 2 Units	2000 piece
Package Level 2 Width	12.01 in 305 mm
Package Level 2 Height	11.02 in 280 mm
Package Level 2 Depth / Length	12.99 in 330 mm

Additional Information

Application	For Temperatures up to 300 Degrees Celsius (572 F) for Indoor and Outdoor Applications, Suitable for High Temperature Environments
Brand / Label	Ty-Rap
Color	Metallic
Lock Type	Ball-Lock
Material	316 Stainless Steel
Number of Batteries	0
Product Name	OTHER ARTICLES OF IRON OR STEEL
Product Type	Stainless Steel Heavy Duty
Special Functions	Uncoated, Ultraviolet Resistant
Tensile Strength	700 lb 3110 N
Thickness	0.0126 in 0.32 mm
UPC	786209896421

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	YLS-16-200B
Declaration of Conformity - CE	9AKK107492A9838
Instructions and Manuals	YLS-16-200B

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5046 >> Stainless Steel Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

