

PRODUCT-DETAILS

# YLS-4.6-125B

## CABLE TIE 100LB 5IN 316SS BALL-LCK



### General Information

|                       |  |
|-----------------------|--|
| Extended Product Type | YLS-4.6-125B   |
| Product ID            | 7TCG009410R0014  |
| EAN                   | 5414363073888  |
| Catalog Description   | CABLE TIE 100LB 5IN 316SS BALL-LCK   |
| Long Description      | Ball-Lock 316 Stainless Steel Cable Tie, Uncoated, for Temperatures up to 300 Degrees Celsius (572 F) for Indoor and Outdoor Applications, Suitable for High Temperature Environments, UL/EN/CSA62275 Type 2S Rated for AH-1 Plenum, Length of 125mm (4.92 Inches), Width of 4.6mm (0.18 Inches), Thickness of 0.26mm (0.01 Inches), Tensile Strength Rating of 440 Newtons (100 pounds) |

### Ordering

|                    |               |
|--------------------|---------------|
| E-Number (Finland) | 1370065       |
| EAN                | 5414363073888 |

### Dimensions

|                            |                    |
|----------------------------|--------------------|
| Product Net Width          | 0.18 in<br>4.6 mm  |
| Product Net Depth / Length | 4.92 in<br>125 mm  |
| Product Net Weight         | .006 lb<br>2.721 g |

---

**Container Information**


---

|                                |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 100 piece         |
| Package Level 1 Width          | 5.9 in<br>150 mm  |
| Package Level 1 Height         | 0.4 in<br>10 mm   |
| Package Level 1 Depth / Length | 7.9 in<br>201 mm  |
| Package Level 2 Units          | 2500 piece        |
| Package Level 2 Width          | 6 in<br>152 mm    |
| Package Level 2 Height         | 7.1 in<br>180 mm  |
| Package Level 2 Depth / Length | 11 in<br>279 mm   |
| Package Level 3 Units          | 5000 piece        |
| Package Level 3 Width          | 13 in<br>330 mm   |
| Package Level 3 Height         | 8.5 in<br>216 mm  |
| Package Level 3 Depth / Length | 11.6 in<br>295 mm |

---



---

**Additional Information**


---

|                     |  |
|---------------------|--|
| Application         | For Temperatures up to 300 Degrees Celsius (572 F) for Indoor and Outdoor Applications, Suitable for High Temperature Environments |
| Brand / Label       | Ty-Rap   |
| Color               | Metallic   |
| Lock Type           | Ball-Lock  |
| Material            | 316 Stainless Steel  |
| Number of Batteries | 0  |
| Product Name        | STAINLESS STEEL CABLE TIE  |
| Product Type        | Stainless Steel  |
| Special Functions   | Uncoated   |
| Standards           | UL E49405  |
| Tensile Strength    | 100 lb<br>440 N  |
| Thickness           | 0.01 in<br>0.25 mm   |
| UPC                 | 786210820668   |

---



---

**Certificates and Declarations (Document Number)**


---

|                                   |              |
|-----------------------------------|--------------|
| Data Sheet, Technical Information | YLS-4.6-125B |
| Instructions and Manuals          | YLS-4.6-125B |

---



---

**Classifications**


---

|                                    |                              |
|------------------------------------|------------------------------|
| ETIM 6                             | EC000046 - Cable tie         |
| ETIM 7                             | EC000046 - Cable tie         |
| UNSPSC                             | 39121703                     |
| WEEE Category                      | Product Not in WEEE Scope    |
| IDEA Granular Category Code (IGCC) | 5046 >> Stainless Steel Ties |

---

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

