

PRODUCT-DETAILS

YLS4.6-150BC

CABLE TIE 100LB 6IN 316SS BLK COAT



General Information

Extended Product Type	YLS4.6-150BC
Product ID	7TCG009410R0034
EAN	5414363072546
Catalog Description	CABLE TIE 100LB 6IN 316SS BLK COAT
Long Description	Ball-Lock 316 Stainless Steel Cable Tie, Black Polyester Coating, for Temperatures up to 150 Degrees Celsius for Indoor and Outdoor Applications, Length of 150mm (5.91 Inches), Width of 4.6mm (0.181 Inches), Thickness of 0.36mm (0.01 Inches), Tensile Strength Rating of 440 Newtons (100 Pounds)

Ordering

E-Number (Finland)	1370072
EAN	5414363072546

Dimensions

Product Net Width	0.18 in 4.6 mm
Product Net Depth / Length	5.91 in 150 mm
Product Net Weight	.005 lb 2.268 g

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	5.9 in 150 mm
Package Level 1 Height	0.4 in 10 mm
Package Level 1 Depth / Length	7.9 in 201 mm
Package Level 2 Units	2500 piece
Package Level 2 Width	6.5 in 165 mm
Package Level 2 Height	7.6 in 193 mm
Package Level 2 Depth / Length	11.1 in 282 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	13 in 330 mm
Package Level 3 Height	8.5 in 216 mm
Package Level 3 Depth / Length	11.6 in 295 mm

Additional Information

Application	For Temperatures up to 150 Degrees Celsius for Indoor and Outdoor Applications
Brand / Label	Ty-Rap
Color	Black
Lock Type	Ball-Lock
Material	316 Stainless Steel
Number of Batteries	0
Product Name	STAINLESS STEEL CABLE TIE
Product Type	Stainless Steel
Special Functions	Black Polyester Coated
Tensile Strength	100 lb 440 N
Thickness	0.014 in 0.36 mm
UPC	786210788586

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	YLS4.6-150BC
Instructions and Manuals	YLS4.6-150BC

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5046 >> Stainless Steel Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

