

PRODUCT-DETAILS

YLS7.9-200A

CABLE TIE 7.9X200MM SS BALL-LK UNCT



General Information		
Extended Product Type	YLS7.9-200A	
Product ID	7TCG009410R0040	
EAN	5414363130192	
Catalog Description	CABLE TIE 7.9X200MM SS BALL-LK UNCT	
Long Description	Ball-Lock 304 Stainless Steel Cable Tie, Uncoated, for Temperatures up to 300 Degrees Celsius (572 F) for Indoor and Outdoor Applications, Suitable for High Temperature Environments, Length of 200mm (7.87 Inches), Width of 7.9mm (0.311 Inches), Thickness of 0.26mm (0.01 Inches), Tensile Strength Rating of 1110 Newtons (250 pounds)	

Ordering	
E-Number (Finland)	1381437
EAN	5414363130192

Dimensions	
Product Net Width	0.311 in
	7.9 mm
Product Net Depth /	7.87 in
Length	200 mm
Product Net Weight	.011 lb
_	4.989 g

Container Information	
Package Level 1 Units	100 piece
Package Level 1 Width	5.9 in 150 mm
Package Level 1 Height	0.6 in 15 mm
Package Level 1 Depth / Length	10 in 254 mm
Package Level 2 Units	2500 piece
Package Level 2 Width	5.9 in 150 mm
Package Level 2 Height	9.4 in 239 mm
Package Level 2 Depth / Length	11 in 279 mm

Additional Information	
Application	For Temperatures up to 300 Degrees Celsius (572 F) for Indoor and Outdoor Applications, Suitable for High Temperature Environments
Brand / Label	Ty-Rap
Color	Metallic
Lock Type	Ball-Lock
Material	304 Stainless Steel
Number of Batteries	0
Product Name	STAINLESS STEEL CABLE TIE
Product Type	Stainless Steel
Special Functions	Uncoated
Tensile Strength	250 lb
	1110 N
Thickness	0.01 in
	0.25 mm
UPC	786210661537

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	YLS7.9-200A
Instructions and Manuals	YLS7.9-200A

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5046 >> Stainless Steel Ties

Categories

YLS7.9-200A 3

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

