

PRODUCT-DETAILS

CEP1-0

ENCLOSURE CEP1-0



General Information

Extended Product Type	CEP1-0
Product ID	1SFA619811R1000
EAN	7320500318041
Catalog Description	ENCLOSURE CEP1-0
Long Description	Enclosure for Compact Machine Stop - Dark grey/Light grey

Ordering

E-Number (Finland)	2312177
E-Number (Norway)	4373369
E-Number (Sweden)	3711600
EAN	7320500318041
Minimum Order Quantity	1 piece
Customs Tariff Number	85369001

Dimensions

Product Net Width	0.065 m
Product Net Height	0.065 m
Product Net Depth / Length	0.048 m
Product Net Weight	0.08 kg

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	0.1 m
Package Level 1 Height	0.048 m
Package Level 1 Depth / Length	0.1 m
Package Level 1 Gross Weight	0.08 kg
Package Level 1 EAN	7320500318041

Environmental

Ambient Air Temperature	Operation -25 ... +70 °C Storage -30 ... +85 °C
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Additional Information

Accessory Type	Enclosure
Color	Dark grey/Light grey
Degree of Protection	Front IP66 Front IP67 Front IP69K Housing IP69K Housing IP66 Housing IP67
Housing Material	Plastic
Material	Plastic
Product Main Type	CEP1
Product Name	Enclosure
Product Range	Compact range
Product Type	CEP
RoHS Date	0626 5

Certificates and Declarations (Document Number)

cURus Certificate	UL_E496500-20171020
Data Sheet, Technical Information	1SFC151007C02_
Declaration of Conformity - CE	2CMT2019-005802
DNV GL Certificate	9AKK107046A3749
Environmental Information	1SFC151009D0201
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2019-005802

Classifications

ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC000200 - Enclosure for control circuit devices
ETIM 6	EC000200 - Enclosure for control circuit devices
ETIM 7	EC000200 - Enclosure for control circuit devices
Object Classification Code	S
UNSPSC	39121326

WEEE Category	Product Not in WEEE Scope
eClass	V11.0 : 27371205

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range

