

PRODUCT-DETAILS

CMS-200DR

CMS-200DR Sensor



General Information

Extended Product Type	CMS-200DR
Product ID	2CCA880132R0001
EAN	7612271426675
Catalog Description	CMS-200DR Sensor
Long Description	CMS-200DR 25mm Solid-Core Sensor 80A

Ordering

EAN	7612271426675
Minimum Order Quantity	1 piece
Customs Tariff Number	90303900

Dimensions

Product Net Width	25.4 mm
Product Net Height	43.2 mm
Product Net Length	50.1 mm
Product Net Depth / Length	43 mm
Product Net Weight	30 g

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	130 mm
Package Level 1 Height	75 mm
Package Level 1 Depth / Length	230 mm
Package Level 1 Gross Weight	83 g
Package Level 1 EAN	7612271426675

Environmental

Ambient Air Temperature	Operation -25 ... +70 °C
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information

Accuracy	Current Accuracy $\leq \pm 0,5\%$ F.S.
Frequency (f)	Rated Current 50 Hz
Measuring Range	Initial Value - Current 0.1 A End Value - Current 80 A
Mounting Type	Solid core sensors 25 mm for DIN-Rail mounting (universal use)
Output	Other atRatedLoad 0.27 W
Product Main Type	CMS
Product Name	Sensor
Rated Operational Voltage	690 V AC 1500 V DC
RoHS Date	20170426

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CCC481003C0201
Declaration of Conformity - CE	2CCC481017D0201
Environmental Information	2CCC481001D0202
Instructions and Manuals	9AKK106930A6241
RoHS Information	2CCC413008D0206

Classifications

ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC002498 - Accessories for low-voltage switch technology
ETIM 6	EC002475 - Current value transformer
ETIM 7	EC002475 - Current value transformer
Object Classification Code	P

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Energy Efficiency Devices → Circuit Monitoring Systems

