

PRODUCT-DETAILS

8555.5 NS

8555.5 NS - Cover plate VGA connection unit - Soft Black



General Information

Extended Product Type	8555.5 NS
Product ID	2CLA855550A1501
EAN	8427238148380
Catalog Description	8555.5 NS - Cover plate VGA connection unit - Soft Black
Long Description	Color: Soft Black Cover plate for VGA connection unit code: 8155.5

Ordering

EAN	8427238148380
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	0.073 m
Product Net Height	0.033 m
Product Net Depth / Length	0.073 m
Product Net Weight	0.024 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.073 m
Package Level 1 Height	0.033 m
Package Level 1 Depth / Length	0.073 m
Package Level 1 Gross Weight	0.02 kg
Package Level 1 EAN	8427238148380

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +35 °C
-------------------------	--

Additional Information

Color	Black
Degree of Protection	IP20
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush mounted (plaster)
Product Main Type	Sky Niessen
Product Name	Cover plate VGA connection unit - Soft Black
Surface Finishing	Surface protection: Decor Surface finishing: Matt

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A0356
Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX850009A1001

Classifications

ETIM 5	EC000011 - Cover plate for switches/push buttons/dimmers/venetian blind
ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
UNSPSC	39121704
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → CoverPlates (partly incl. Insert) Sky Niessen → VDI Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → VDI Connector → VDI Connector - Flush Mounted → VDI Connector

