

PRODUCT-DETAILS

### YCU.00152

# Active Energy Class ±1% (or B for MID meters). Reactive Energy Class ±2%.;



General Information	
Global Commercial Alias	YCU.00152
Extended Product Type	B23 212-100
Product ID	2CMA100166R1000
ABB Type Designation	B23 212-100
EAN	7392696001663
Catalog Description	Active Energy Class ±1% (or B for MID meters). Reactive Energy Class ±2%.;
Long Description	Advanced compact DIN-rail meter with an easy to read back lighted display. The meter is intended for use in the commercial or residential buildings etc. The meter can be used in 3 or 4 wire systems. The meter has several instrumentation values, 25 possible alarms and event logs. Three phase direct connected for active and reactive energy. Import and export of energy in different registers and one total. One output for pulses or alarm etc. RS-485 communication over Modbus RTU or EQ Bus. Accuracy class 1.0 (or B for MID meters). The meters is IEC approved + MID approved and verified.

Ordering	
E-Number (Finland)	6625036
E-Number (Sweden)	0900039
EAN	7392696001663
Minimum Order Quantity	1 piece
Customs Tariff Number	90283019

#### Dimensions

Product Net Width	70 mm
Product Net Height	26.5 mm
Product Net Depth / Length	65 mm
Product Net Weight	0.32 kg

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	100 mm
Package Level 1 Height	68 mm
Package Level 1 Depth / Length	94 mm
Package Level 1 Gross Weight	0.39 kg
Package Level 1 EAN	7392696001663

## Environmental Ambient Air Temperature Operation -40 ... +70 °C RoHS Status Following EU Directive 2002/95/EC August 18, 2005 and amendment

Accuracy	Active Energy Class ±1% (or B for MID meters). Reactive Energy Class ±2%.
Communication Interface	Modbus
Communication	MODBUS RTU
Connecting Capacity Main Circuit	1 25 mm²
Current Rating	65 A
Degree of Protection	IP20
Enclosure Material	Plastic
Frequency (f)	50/60 Hz
Function	Electricity meter
Meter Type	Direct connected
Mounting Type	DIN rail
Number of Phases	3
	0.721 W
Product Main Type	B23
Product Name	B23 212-100, YCU.00152
Rated Current (I <sub>n</sub> )	65 A
Rated Voltage (U <sub>r</sub> )	(Un) N-L 220 240 V (Un) L-L 380 415 V
RoHS Date	2012-36
Standards	IEC 62053-23
Sub-Function	Bronze

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	2CMC485003M0201
Declaration of Conformity - CE	2CMC485001D0001
Environmental Information	2CMC485003D0001

YCU.00152 3

 Instructions and Manuals
 2CMC485019M0201

 RoHS Information
 2CMC485006

Classifications	
ETIM 4	EC001506 - Electronic kilowatt-hour meter
ETIM 5	EC001506 - Kilowatt-hour meter
ETIM 6	EC001506 - Kilowatt-hour meter
ETIM 7	EC001506 - Kilowatt-hour meter
Object Classification Code	Р
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

#### Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Energy\ Efficiency\ Devices \rightarrow Energy\ Meters$ 

