

PRODUCT-DETAILS

Length

TYP28MX

CABLE TIE 30LB 14IN UV BLACK PP

General Information	
Extended Product Type	TYP28MX
Product ID	7TAG009600R0003
EAN	5414363067702
Catalog Description	CABLE TIE 30LB 14IN UV BLACK PP
Long Description	Cable Tie, Black Polypropylene for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 360mm (14.2 Inches), Width of 4.8mm (0.19 Inches), Thickness of 1.3mm (0.05 Inches), Tensile Strength Rating of 180 Newtons (40 Pounds)
Ordering	
E-Number (Finland)	1381502
EAN	5414363067702
Dimensions	
Product Net Width	0.184 in 4.67 mm
Product Net Length	0, mm
Product Net Depth /	13.921 in

Container Information		
Package Level 1 Units	1000 piece	
Package Level 1 Width	14 in 356 mm	
Package Level 1 Depth / Length	20 in 508 mm	
Package Level 2 Units	5000 piece	
Package Level 2 Width	11.75 in 298 mm	
Package Level 2 Height	9.75 in 248 mm	
Package Level 2 Depth / Length	20 in 508 mm	

Additional Information		
Brand / Label	Ty-Rap	
Bundle Diameter	0.19 to 4 in 4.5 to 102 mm	
Color	Black	
Effective Date	19820203	
Lock Type	Stainless Steel Barb	
Material	Polypropylene	
Number of Batteries	0	
Product Name	NYLON CABLE TIES AND ACCESSORIES	
Product Type	High Performance	
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.	
Tensile Strength	40 lb 180 N	
Thickness	0.05 in 1.3 mm	
UPC	786210825366	

Certificates and Declarations (Document Number)		
Data Sheet, Technical Information	TDS000575	
Instructions and Manuals	TYP28MX	

Classifications		
ETIM 6	EC000046 - Cable tie	
ETIM 7	EC000046 - Cable tie	
UNSPSC	39121703	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	5034 >> Cable ties	

TYP28MX 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

